



Friedhelm TRAPP GmbH

Ostring 15 - 63533 Mainhausen - Zentrale: 06182/9294-5 - Fax: 06182/9294-69 - Mail: trapp@f-trapp.de

www.f-trapp.de

Decorative luminaire TML-361



Decorative top luminaire with mast bracket for the lighting of road space for parks and green spaces.

The installation of this luminaire can be done to the boom or jib, top, but also to bowmasts poles.

The free color selection allows a wide margin of discretion for a variety of applications.





Friedhelm TRAPP GmbH

Ostring 15 - 63533 Mainhausen - Zentrale: 06182/9294-5 - Fax: 06182/9294-69 - Mail: trapp@f-trapp.de

www.f-trapp.de

Decorative luminaire TML-361

Technical Specifications

Application areas:

Fixed illumination from:

- Residential and shopping streets
- Parks and green areas
- Representative areas
- Pedestrian areas
- Promenades
- Parking and marketplaces

Lightspot height:

4.0 m to 7.5 m, for suspended installation of tower and attachment booms, and bowmasts of steel.

Luminaire housing:

- Aluminium sheet / Al-casting powder coated or painted
- RAL color of your choice
- innerlying symmetrical reflector.

Cover: PMMA or PC (charge) opal or clear, Ø 400 mm, bayonet lock.

Electrical installation:

- LED
- HSE 50 - 70 W
- HIE
- Protection class: I
- protection category: IP 44

All connecting elements made of stainless steel.




Friedhelm TRAPP GmbH

Ostring 15 - 63533 Mainhausen - Zentrale: 06182/9294-5 - Fax: 06182/9294-69 - Mail: trapp@f-trapp.de

www.f-trapp.de

Decorative luminaire TML-361


Diameters




TML 361

Photometric data

Polar graph:



Cartesian graph:



Light source: HSE-E 70 W




Friedhelm TRAPP GmbH

Ostring 15 - 63533 Mainhausen - Zentrale: 06182/9294-5 - Fax: 06182/9294-69 - Mail: trapp@f-trapp.de

www.f-trapp.de

Decorative luminaire TML-361



Luminaire: TML 361
Pole: TZM 712.55
Jib: TMA 409.2

TMA 409.1